

WEST Search History for Application 10551025

Creation Date: 2008040313:36

Query	DB	Op.	Plur.	Thes.	Date
(display adj device\$6) and display adj controller	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
(display adj device\$6 and display adj controller) and data adj input same analogue adj signal\$1	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
(display adj device\$6 and display adj controller) and analogue adj signal\$1	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
(display adj device\$6 and display adj controller) and analogue adj input adj signal\$1	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
(display adj device\$6 and display adj controller and analogue adj input adj signal\$1) and (sensing adj unit or sensor\$6)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
(display adj device\$6 and display adj controller and analogue adj input adj signal\$1 and (sensing adj unit or sensor\$6)) and light adj emission adn (state or level)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
(display adj device\$6 and display adj controller and analogue adj input adj signal\$1 and (sensing adj unit or sensor\$6))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
(display adj device\$6 and display adj controller and analogue adj input adj signal\$1 and (sensing adj unit or sensor\$6)) and light adj emission adj (state or level)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
(display adj device\$6 and pixel\$1 same (LED or light adj emitting element\$1)) and light adj emission adj (state or level)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
(display adj device\$6 and pixel\$1 same (LED or	PGPB, USPT,	ADJ	YES		04-03-2008

light adj emitting element\$1) and light adj emission adj (state or level)) and light adj (sensing adj unit or sensor\$1)	USOC, EPAB, JPAB, DWPI, TDBD				
(display adj device\$6 and pixel\$1 same (LED or light adj emitting element\$1) and light adj emission adj (state or level) and light adj (sensing adj unit or sensor\$1)) and @py<=2003	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
(display adj device\$6 and pixel\$1 same (LED or light adj emitting element\$1) and light adj emission adj (state or level) and light adj (sensing adj unit or sensor\$1)) and @py<=2003	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
(display adj device\$6 and pixel\$1 same (LED or light adj emitting element\$1)) and (sens\$6 adj unit\$1 or sensor\$1 or sensing)and light adj emission\$6	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
(display adj device\$6 and pixel\$1 same (LED or light adj emitting element\$1)) and (sens\$6 adj unit\$1 or sensor\$1 or sensing) same light adj emission\$6	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
(display adj device\$6 and pixel\$1 same (LED or light adj emitting element\$1) and (sens\$6 adj unit\$1 or sensor\$1 or sensing) same light adj emission\$6) and (first of second) adj diver\$6	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
(display adj device\$6 and pixel\$1 same (LED or light adj emitting element\$1) and (sens\$6 adj unit\$1 or sensor\$1 or sensing) same light adj emission\$6) and (first or second) adj diver\$6	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
(display adj device\$6 and pixel\$1 same (LED or light adj emitting element\$1) and (sens\$6 adj unit\$1 or sensor\$1 or sensing) same light adj emission\$6) and first adj driver and second adj driver	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
(display adj device\$6 and pixel\$1 same (LED or light adj emitting element\$1)) and light adj emission adj (state or level) same frame	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
(display adj device\$6 and pixel\$1 same (LED or light adj emitting element\$1) and light adj emission adj (state or level) same frame) and output adj signal and high adj light adj emission adj (state or level)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
(display adj device\$6 and pixel\$1 same (LED or light adj emitting element\$1)) and output adj signal and high adj light adj emission adj (state or level)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008

(display adj device\$6 and pixel\$1 same (LED or light adj emitting element\$1)) and high adj light adj emission adj (state or level)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
(and pixel\$1 same (LED or light adj emitting element\$1)) and high adj light adj emission	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
(and pixel\$1 same (LED or light adj emitting element\$1) and high adj light adj emission) and display adj control\$6	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
(display adj device\$6 and pixel\$1 same (LED or light adj emitting element\$1)) and high adj light adj emission adj (level or state)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
(display adj device\$6 and pixel\$1 same (LED or light adj emitting element\$1)) and (sensing adj unit or sensor\$1)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
(display adj device\$6 and pixel\$1 same (LED or light adj emitting element\$1)) and (sensing adj unit or sensor\$1) same light adj emission\$1	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
(display adj device\$6 and pixel\$1 same (LED or light adj emitting element\$1) and (sensing adj unit or sensor\$1)) and sensing adi light adj emission\$1	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
(display adj device\$6 and pixel\$1 same (LED or light adj emitting element\$1)) and (sensing adj unit or device)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
(display adj device\$6 and pixel\$1 same (LED or light adj emitting element\$1) and (sensing adj unit or device)) and light adj emission adj state	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
(display adj device\$6 and pixel\$1 same (LED or light adj emitting element\$1) and (sensing adj unit or device)) and light adj emission adj state same pixel\$1	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
(display adj device\$6 and pixel\$1 same (LED or light adj emitting element\$1) and (sensing adj unit or device) and light adj emission adj state same pixel\$1) same (LED or light emission adj diode\$1)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008

(display adj device\$6 and pixel\$1 same (LED or light adj emitting element\$1) and (sensing adj unit or device) and light adj emission adj state same pixel\$1) same (LED or light adj emission adj diode\$1)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
(display adj device\$6 and pixel\$1 same (LED or light adj emitting element\$1) and (sensing adj unit or device) and light adj emission adj state same pixel\$1) same light adj emission adj diode\$1	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
(display adj device\$6 and pixel\$1 same (LED or light adj emitting element\$1) and (sensing adj unit or device) and light adj emission adj state same pixel\$1) and (LED or light adj emission adj diode\$1)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
(display adj device\$6 and pixel\$1 same (LED or light adj emitting element\$1) and (sensing adj unit or device) and light adj emission adj state same pixel\$1 and (LED or light adj emission adj diode\$1)) and @py<=2003	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
(display adj device\$6 and pixel\$1 same (LED or light adj emitting element\$1)) and display adj controller\$1	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
(display adj device\$6 and pixel\$1 same (LED or light adj emitting element\$1) and display adj controller\$1) and controlling adj light adj emisson adj (level\$1 or state\$1)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
display same (LED or light adj emitting adj element\$1)	USPT	ADJ	YES		04-03-2008
display same (LED or light adj emitting adj element\$1)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
(display same (LED or light adj emitting adj element\$1)) display adj controller	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
(display same (LED or light adj emitting adj element\$1)) and display adj controller	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
(display same (LED or light adj emitting adj element\$1) and display adj controller) and light adj emission adj level	PGPB, USPT, USOC, EPAB, JPAB, DWPI,	ADJ	YES		04-03-2008

	TDBD				
(display same (LED or light adj emitting adj element\$1)) and light adj level adj detection	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
pixel\$1 same light near4 detection	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
pixel\$1 same light near4 detection	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
(pixel\$1 same light near4 detection) and @py<-2003	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
(pixel\$1 same light near4 detection) and @py<=2003	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
(pixel\$1 same light near4 detection and @py<=2003) and display same (LED or light adj emitting adj (diode\$1 or element\$1))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008
(pixel\$1 same light near4 detection and @py<=2003 and display same (LED or light adj emitting adj (diode\$1 or element\$1))) @py<=2003	USPT	ADJ	YES		04-03-2008
(pixel\$1 same light near4 detection and @py<=2003 and display same (LED or light adj emitting adj (diode\$1 or element\$1))) and @py<=2003	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-03-2008